



JOMIAL LIMITADA

Rut 76.451.155-7

Casa Matriz: Lord Cochrane n° 1060

Santiago- Chile

Teléfono +56 2 269 89 147

MANGUERAS Y ACOPLAMIENTOS HIDRAULICOS E INDUSTRIALES – ADAPTADORES – CONEXIONES – CORREAS EN “V”


ACOPLES HIDRAULICOS AUTOMATICOS MARCA STUCCHI.



Stucchi®



UNLOCK THE SOLUTION™

	<p>SERIES IVHP</p> <p>Hydraulic Jack / Enerpac Interchange Thread to Connect 10,000 psi Working Pressure Size: 1/4, 3/8 Thread: NPT</p>
---	--



JOMIAL LIMITADA

Rut 76.451.155-7

Casa Matriz: Lord Cochrane n° 1060

Santiago- Chile

Teléfono +56 2 269 89 147

MANGUERAS Y ACOPLAMIENTOS HIDRAULICOS E INDUSTRIALES – ADAPTADORES – CONEXIONES – CORREAS EN “V”



SERIES IRB | IRBO | IRBX

ISO B Interchange

Material: Steel, Brass, 316 Stainless Steel

Size: 1/4, 3/8, 1/2, 3/4, 1

Thread: NPT, BSP



SERIES IR | IRV | IRS

Ag Style Interchange

Standard & Push Pull 2 Way Sleeve. PC
Version for Connecting with High Internal
Static Pressure

Size: 1/4, 3/8, 1/2, 3/4, 1

Thread: NPT



SERIES FIRG

ISO 16028 Interchange

Flat Face Coupling

Size: 1/4, 3/8, 1/2, 5/8, 3/4, 1, 1 1/2, 2

Thread: NPT, SAE



JOMIAL LIMITADA

Rut 76.451.155-7

Casa Matriz: Lord Cochrane n° 1060

Santiago- Chile

Teléfono +56 2 269 89 147


MANGUERAS Y ACOPLAMIENTOS HIDRAULICOS E INDUSTRIALES – ADAPTADORES – CONEXIONES – CORREAS EN “V”

ACOPLES HIDRAULICOS AUTOMATICOS MARCA SAFE-WAY

QUICK ACTION COUPLINGS, ADAPTERS & OEM REPLACEMENT TIPS



S10 Series



QUICK COUPLERS IN HARDENED STEEL, 303 STAINLESS STEEL & BRASS

SafeWay's S10 Series is a general purpose, double shut-off quick coupling capable of containing a wide variety of fluids. Primarily used for the transfer of hydraulic fluid, they can also be used with water, steam, chemicals and some gases. Widely used in both stationary and mobile industrial applications.





JOMIAL LIMITADA

Rut 76.451.155-7

Casa Matriz: Lord Cochrane n° 1060

Santiago- Chile

Teléfono +56 2 269 89 147

MANGUERAS Y ACOPLAMIENTOS HIDRAULICOS E INDUSTRIALES – ADAPTADORES – CONEXIONES – CORREAS EN “V”

S30 Series



DEPENDABLE HIGH PRESSURE & HIGH FLOW WORKHORSE

The S30 Series is a special purpose, double shut-off fluid transfer quick coupling that provides significantly less pressure drop than couplings of the same type produced by other manufacturers. A threaded sleeve locking mechanism mates the coupling halves and allows connection under pressure up to a maximum of 1,000 psi. Our heavy-duty poppet valving, while fully interchangeable with ball check models (including older SafeWay product), eliminates low pressure leakage. The S30 is designed for extreme high pressure applications including portable hydraulic rams, wire pullers, and frame straightening equipment.



S40 Series



ONE-HAND OPERATION, GENERAL PURPOSE COUPLINGS

SafeWay's S40 Series is a general purpose, double shut-off fluid transfer quick coupling available with either a rugged ball valve or leak-free, high flow poppet valve. The S40 was the first two-way (double acting) sleeve quick coupling, introduced by SafeWay in 1969 as our first product. The S40 Series is widely used wherever the ease and convenience of one-hand connection or disconnection is desired. It is original equipment on a wide variety of agricultural and mobile equipment.

